		Туре	L#	Hits	Search Text	DBs	Time Stamp	C o m e	Er ro r D ef in iti o	Er or
	1	BRS	L1	6	template\$1 same identifer\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 10:57			0
-	2	BRS	L2	1368	template\$1 same identifier\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:04			0
	3	BRS	L3	2	2 and (biological adj2 experiment)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:02			0
ı	4	BRS	Ľ4	217	experiment near3 templat\$2	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:03			0

		•							
	Туре	L#	Hits	Search Text	DBs	Time Stamp	C o m m	r D ef in	Err ors
5	BRS	L5	10	4 and identifier\$1 and attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:03			0
6	BRS	L6	626	2 and attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:05			0
7	BRS	L7·	95	6 and (generat\$3 adj2 templat\$2)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:06			0
8	BRS	L8	88	7 and value\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:08			0

	•	_							
	Туре	Ļ#	Hits	Search Text	DBs	Time Stamp	C o m e nt	in	Err ors
9	BRS	L9	16093	707/\$.ccis.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:08			0
10	BRS	L10	0	9 and template.ti.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:09			0
11	BRS	L11	30	9 and templat\$2.ti.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:10			0
12	BRS	L12	67	(generat\$3 adj2 templat\$2) same attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:49			0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	C o m m	ef in	Err ors
13	BRS	L13	1	12 and reciev\$3	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:36			0
14	BRS	L14	8	12 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:34			0
15	BRS	L15	44	12 and (reciev\$3 or retriev\$3)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T	2003/08/09 11:36			0
16	BRS	L16	2	12 and 707/100.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:49			0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	C o m	D ef in	Err ors
17	BRS	L17	0	12 and 707/100+.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:50			0
18	BRS	L18	0	12 and 707/103.ccls.		2003/08/09 11:50			0
19	BRS	L19	0	12 and 707/4.ccis.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:50			0
20	BRS	L20	8	12 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 11:51			0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	o m m	ef	Er
21	BRS	L21	504	((generat\$3 or creat\$3) near2 (template\$1 or forms)) same attribut\$2	USPAT; ; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 12:00			O
22	BRS	L22	91	21 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 12:00			
23	BRS	L23	17.	22 and GUI	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 12:00 <u></u>			0
24	BRS	L24	57	22 and (GUI or (user adj2 interface))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 13:16			0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	o m m	ef in	Er or:
25	BRS	L25	0	(database near2 templat\$2) same sample\$1 same attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 13:21			0
26	BRS	L26	102	template\$1 same sample\$1 same attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 13:26			0
27	BRS	L27	20	26 and (((creat\$3 or generat\$3) near3 template\$1) same (sample\$1 or select\$3))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 13:35			0
28	BRS	L28	537	((select\$3 or identif\$4) near4 (identifier\$1 or (template\$1 adj2 identifier\$1))) and ((creat\$3 or generat\$3) near3 template\$1) and attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 13:45			0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	C o m e nt s	r D ef E in o iti	rr rs
29	BRS	L29	0	28 and (reciev\$3 near3 value\$1)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 13:44		0	
30	BRS	L30	3	28 and (probe adj2 array)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 13:46		0	
31	BRS	L31	13	28 and (sample adj2 template\$1) and ((sample or selecte\$1) adj2 (name\$1 or label\$1 or identifier\$1))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:10		0	
32	BRS	L32	22	((creat\$3 or generat\$3) near4 template\$1) same ((select\$3 or identif\$4) adj2 (sample\$1 or pre-set))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:15		0	

	Туре	L#	Hits	Search Text	DBs	Time Stamp	C o m m	Er ro r D ef in iti o	Eri
33	BRS	L33	12	32 and attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:22			0
34	BRS	L34	0	(reciev\$3 near3 (identifier\$1 or parameter\$1 or name\$1)) same attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:25			0
35	BRS	L35	0	template\$1)) and display\$3 and	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:28			O
36	BRS	L36	2	((identify\$3 or select\$3) near4 (sample adj2 template\$1)) and display\$3 and (receiv\$3 with value\$1) and sav\$3	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:33			<u> </u>

	Туре	L#	Hits	Search Text	DBs	Time Stamp	C o E E	ef in	Err
37	BRS	L37	2	((identify\$3 or select\$3) near4 (sample adj2 template\$1)) and display\$3 and (receiv\$3 with value\$1)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T	2003/08/09 14:33			0
38	BRS	L38	378	((identify\$3 or select\$3) adj2 template\$1) and display\$3 and (receiv\$3 with value\$1)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:37			0
39	BRS	L39	21	38 and (sample adj2 template\$1)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:34			0
40	BRS	L40	13	((identify\$3 or select\$3) adj2 (template\$1 near4 name\$1)) and display\$3 and (receiv\$3 with value\$1)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:42			0

ì

	Туре	L#	Hits	Search Text	DBs	Time Stamp	C o m	ef in	Err ors
41	BRS	L41	3	((identify\$3 or select\$3) adj2 (sample near4 template\$1)) and display\$3 and (receiv\$3 with value\$1)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:45			0
42	BRS	L42	0	((identify\$3 or select\$3) adj2 (sample near4 template\$1)) same name\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:45			0
43	BRS	L43	3391	((identify\$3 or select\$3) adj2 templat\$2)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:46		•	0
44	BRS	L44	463	43 and identifier\$1 and attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:46			0

			4		•				
	Туре	L#	Hits	Search Text	DBs	Time Stamp	c o m	ef in	Err
45	BRS	L45	361	44 and ((user adj2 interface) or GUI)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:47			0
46	BRS	L46	272	45 and (user adj2 input\$3)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:47			0
47	BRS	L47	12	26 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:49			0
48	BRS	L48	1890	database near4 template\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:49			0

.

	Туре	L#	Hits	Search Text	DBs	Time Stamp	C o m	D ef in	Er or
49	BRS	L49	81	48 same attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:49			0
50	BRS	L50	20	49 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 14:59			0
51	BRS	L51	110	(select\$3 adj2 template\$1) same attribute\$1	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 15:02			0
52	BRS	L52	18	51 and ((input\$3 or receiv\$3) near5 value\$1)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB	2003/08/09 15:04			0